

# IMPEX COLOR s.r.l

Safety Schedule

from 13.12.1995

## MARMORINO ROMA

### 1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

Commercial name	MARMORINO ROMA
Type of product and use	Putty for decorating internal and external walls.
Manufacturer	IMPEX COLOR s.r.l. Via Pareto, 19 – 31030 Dosson di Casier (TV) ITALY

### 2. COMPOSITION – INFORMATION ABOUT THE INGREDIENTS

Composition	Marble powder, lime grassello, additives.
Dangerous substances	Phrases R
Hydrated lime/Calcium hydroxide	R38 R41

### 3. IDENTIFICATION OF DANGERS

Health	Irritant for skin, corrosive for eyes.
--------	--

### 4. FIRST AID MEASURES

Contact with the skin.	Take off contaminated clothes, wash with soap and water.
Contact with the eyes.	Wash thoroughly with water for at least ten minutes. If irritation persists, consult a doctor.
Ingestion.	Do not induce vomiting. Apply to medical services immediately.

### 5. FIRE PROTECTION

Extinguishing methods	Non-inflammable product. If involved in a fire use atomised water, carbon dioxide or chemical powder. Cool down the containers exposed to fire with atomised water.
Types of extinguisher not allowed	None.
Possible risks from combustion	None.
Equipment for personnel	Self-contained breathing apparatus in closed areas.

### 6. MEASURES AGAINST ACCIDENTAL SPILLING

# IMPEX COLOR s.r.l

Extinguishing methods	Non-inflammable product. If involved in a fire use atomised water, carbon dioxide or chemical powder. Cool down the containers exposed to fire with atomised water.
Types of extinguisher not allowed	None.
Possible risks from combustion	None.
Equipment for personnel	Self-contained breathing apparatus in closed areas.

## 7. HANDLING AND STORING

Handling	Ensure that the store room is well ventilated and there is adequate change of air.
Storing	Keep the containers well closed at a temperature between + 5 °C and + 40 °C.
Mixed Storing	Do not store in the presence of acids.

## 8. INDIVIDUAL PROTECTION

Respiratory protection	In case of application with spray, or traditional application in an insufficiently ventilated area, wear a face mask
Protection for hands	Use rubber gloves.
Eye protection	Use goggles or suitable face protection.
Skin protection	Wear closed shoes and long-sleeved work clothes made of cotton, wool or natural fibre. Do not allow it to come in contact with food or drink, always wash before a break and at the end of work.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Viscous Fluid.
colour	White and various colours.
smell	Pleasant, typical of putty.
pH	12 13.
Relative density	1.6 Kg/Lt.

## 10. STABILITY AND REACTIVITY

Materials to avoid	Strong acids .
--------------------	----------------

## 11. TOXICOLOGICAL INFORMATION

Ways of penetration:	
Ingestion	No.
Inhalation	No.
Contact	Yes.

# IMPEX COLOR s.r.l

Acute intoxication:	
Corrosiveness/irritation:	
Skin	Irritant.
Eyes	Corrosive.

## 12. ECOLOGICAL INFORMATION

Possible effects, reactions and changes to the environment	Use following good practice for application, avoid scattering the product in the environment.
--	---

## 13. WASTE DISPOSAL

	According to the local legislation in force.
--	--

## 14. TRANSPORT INFORMATION

	The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
--	---

## 15. INFORMATION ON REGULATIONS

Classification and labelling by law	Yes.
Symbol for danger	S. Andrew's cross with Xi.
Risk phrase	R41.
Suggested care	S2 S26 S39.

## 16. OTHER INFORMATION

Suggestions for care and safety	Keep the tins well closed. Do not tip up. Always check the instructions for use given in the technical schedule. Do not ingest. Keep the product out of reach of children. Do not dispose of the residue in the sewage system During application of paint products, especially if sprayed, it is always necessary to provide adequate ventilation in the room.
---------------------------------	--