

## Safety Data Sheet

According to Annex II to UK REACH (EC REG 1907/2006 as amended according to UK laws  
<https://www.legislation.gov.uk/eur/2006/1907/contents>)

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code:

Product name

**MARMORINO ARKADIA**

UFI:

**D300-F0AT-8000-AQPP**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

**Decorative finishing plaster for professional use**

#### 1.3. Details of the supplier of the safety data sheet

UK importer Name

Full address

District and Country

Tel.

Fax

e-mail address of the competent person

responsible for the Safety Data Sheet

Name

Full address

District and Country

**IMPEX COLOR S.R.L.**

**Via Pareto, 19**

**31030 DOSSON DI CASIER (TV)**

**Italy**

**Tel. +39 0422 331850**

**Fax +39 0422 639622**

**[impex@impexcolor.com](mailto:impex@impexcolor.com)**

e-mail address of the competent person

responsible for the Safety Data Sheet

#### 1.4. Emergency telephone number

For urgent inquiries refer to

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

UK NPIS 0344 892 0111 for Healthcare Professional 24/7

For Public NHS 111/NHS 24 by dialling 111

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830 according to EU Regulation directly in force before Brexit.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

## Hazard classification and indication:

Serious eye damage, category 1

H318

Causes serious eye damage.

## 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

## Hazard statements:

H318 Causes serious eye damage.

## Precautionary statements:

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P280** Wear eye protection / face protection.

**P310** Immediately call a POISON CENTER / doctor.

**Contains:** CALCIUM HYDROXIDE

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

## 3.2. Mixtures

Contains:

| Identification           | x = Conc. %      | Classification (EC) 1272/2008 (CLP)                  |
|--------------------------|------------------|--|
| <b>Limestone</b>         |                  |  |
| CAS 1317-65-3            | $62 \leq x < 66$ | Substance with a community workplace exposure limit. |
| EC 215-279-6             |                  |  |
| INDEX -                  |                  |  |
| <b>CALCIUM HYDROXIDE</b> |                  |  |
| CAS 1305-62-0            | $6 \leq x < 7$   | Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335  |
| EC 215-137-3             |                  |  |
| INDEX -                  |                  |  |

|                           |  |
|---------------------------|--|
| <b>IMPEX COLOR S.R.L.</b> | Revision nr. 1<br>Dated 08/02/2023                         |
| <b>MARMORINO ARKADIA</b>  | First compilation<br>Printed on 08/02/2023<br>Page n. 3/12 |

REACH Reg. 01-2119475151-45-0201  
**QUARTZ**  
CAS 14808-60-7                       $0 \leq x < 0,05$                       STOT RE 1 H372  
EC 238-878-4  
INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

**SECTION 4. First aid measures**

**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.  
SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.  
INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.  
INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

**SECTION 5. Firefighting measures**

**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT  
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.  
UNSUITABLE EXTINGUISHING EQUIPMENT  
None in particular.

**5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE  
Do not breathe combustion products.

**5.3. Advice for firefighters**

GENERAL INFORMATION  
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.  
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS  
Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures**

|                    |  |
|--------------------|--|
| IMPEX COLOR S.R.L. | Revision nr. 1<br>Dated 08/02/2023                         |
| MARMORINO ARKADIA  | First compilation<br>Printed on 08/02/2023<br>Page n. 4/12 |

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.  
Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.  
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

| 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate |                      |                |               |         |                    |       |               |         |
|--|----------------------|----------------|---------------|---------|--------------------|-------|---------------|---------|
| Predicted no-effect concentration - PNEC           |                      |                |               |         |                    |       |               |         |
| Normal value in fresh water                        | 0,014                |                |               |         | mg/l               |       |               |         |
| Normal value in marine water                       | 0,0014               |                |               |         | mg/l               |       |               |         |
| Normal value for fresh water sediment              | 1,15                 |                |               |         | mg/kg              |       |               |         |
| Normal value for marine water sediment             | 0,115                |                |               |         | mg/kg              |       |               |         |
| Normal value for the terrestrial compartment       | 0,926                |                |               |         | mg/kg              |       |               |         |
| Health - Derived no-effect level - DNEL / DMEL     |                      |                |               |         |                    |       |               |         |
|  | Effects on consumers |                |               |         | Effects on workers |       |               |         |
| Route of exposure                                  | Acute local          | Acute systemic | Chronic local | Chronic | Acute local        | Acute | Chronic local | Chronic |

|                    |  |
|--------------------|--|
| IMPEX COLOR S.R.L. | Revision nr. 1<br>Dated 08/02/2023                         |
| MARMORINO ARKADIA  | First compilation<br>Printed on 08/02/2023<br>Page n. 5/12 |

|            | systemic        | systemic | systemic        |
|------------|-----------------|----------|-----------------|
| Oral       | 18,8 mg/kg bw/d |          |                 |
| Inhalation | 32,6 mg/m3      |          | 110 mg/m3       |
| Skin       | 18,8 mg/kg bw/d |          | 31,2 mg/kg bw/d |

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.  
When choosing personal protective equipment, ask your chemical substance supplier for advice.  
Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION  
Protect hands with category III work gloves (see standard EN 374).  
The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.  
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION  
Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION  
Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION  
If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.  
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.  
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS  
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties                     | Value          | Information |
|--------------------------------|----------------|-------------|
| Appearance                     | dense liquid   |             |
| Colour                         | white          |             |
| Odour                          | characteristic |             |
| Melting point / freezing point | not available  |             |
| Initial boiling point          | not available  |             |

|  |                   |
|--|-------------------|
| Flammability                           | not available     |
| Lower explosive limit                  | not available     |
| Upper explosive limit                  | not available     |
| Flash point                            | > 60 °C           |
| Auto-ignition temperature              | not available     |
| Decomposition temperature              | not available     |
| pH                                     | 12-12,5           |
| Kinematic viscosity                    | not available     |
| Solubility                             | Miscible in water |
| Partition coefficient: n-octanol/water | not available     |
| Vapour pressure                        | not available     |
| Density and/or relative density        | not available     |
| Relative vapour density                | not available     |
| Particle characteristics               | not applicable    |

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Information not available

### 9.2.2. Other safety characteristics

Information not available

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

Information not available

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

#### Information on likely routes of exposure

Information not available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

#### Interactive effects

Information not available

#### ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

Limestone

LD50 (Oral):

6450 mg/kg

CALCIUM HYDROXIDE

LD50 (Dermal):

> 2500 mg/kg Rabbit

LD50 (Oral):

> 2000 mg/kg Rat

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

#### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

#### Respiratory sensitization

Information not available

#### Skin sensitization

Information not available

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

**SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

**12.1. Toxicity**

## CALCIUM HYDROXIDE

LC50 - for Fish 50,6 mg/l/96h

EC50 - for Crustacea 49,1 mg/l/48h

EC50 - for Algae / Aquatic Plants 184,57 mg/l/72h

Chronic NOEC for Algae / Aquatic Plants 48 mg/l



|                    |  |
|--------------------|--|
| IMPEX COLOR S.R.L. | Revision nr. 1<br>Dated 08/02/2023                         |
| MARMORINO ARKADIA  | First compilation<br>Printed on 08/02/2023<br>Page n. 9/12 |

**12.2. Persistence and degradability**

Information not available

**12.3. Bioaccumulative potential**

Information not available

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

**12.7. Other adverse effects**

Information not available

**SECTION 13. Disposal considerations**

**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number or ID number**  
not applicable

**14.2. UN proper shipping name**  
not applicable

**14.3. Transport hazard class(es)**  
not applicable

**14.4. Packing group**  
not applicable

**14.5. Environmental hazards**

not applicable

**14.6. Special precautions for user**

not applicable

**14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This Datasheet complies with EU Regulation 2015/830 according to EU Regulation directly in force before Brexit.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 as amended according to UK laws

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors as amended according to UK laws

not applicable

Substances in Candidate List (Art. 59 REACH) as amended according to UK laws

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH) as amended according to UK laws

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012 as amended according to UK laws:

None

Substances subject to the Stockholm Convention according to Regulation (EU) No 2019/1021 as amended according to UK laws:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

**15.2. Chemical safety assessment**

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

**SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                      |  |
|----------------------|--|
| <b>STOT RE 1</b>     | Specific target organ toxicity - repeated exposure, category 1 |
| <b>Eye Dam. 1</b>    | Serious eye damage, category 1                                 |
| <b>Skin Irrit. 2</b> | Skin irritation, category 2                                    |

|                           |   |
|---------------------------|---|
| <b>IMPEX COLOR S.R.L.</b> | Revision nr. 1<br>Dated 08/02/2023                          |
| <b>MARMORINO ARKADIA</b>  | First compilation<br>Printed on 08/02/2023<br>Page n. 11/12 |

|                  |   |
|------------------|---|
| <b>STOT SE 3</b> | Specific target organ toxicity - single exposure, category 3    |
| <b>H372</b>      | Causes damage to organs through prolonged or repeated exposure. |
| <b>H318</b>      | Causes serious eye damage.                                      |
| <b>H315</b>      | Causes skin irritation.   |
| <b>H335</b>      | May cause respiratory irritation.                               |

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety

|                           |   |
|---------------------------|---|
| <b>IMPEX COLOR S.R.L.</b> | Revision nr. 1<br>Dated 08/02/2023                          |
| <b>MARMORINO ARKADIA</b>  | First compilation<br>Printed on 08/02/2023<br>Page n. 12/12 |

- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:  
The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.  
This document must not be regarded as a guarantee on any specific product property.  
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.  
Provide appointed staff with adequate training on how to use chemical products.

**CALCULATION METHODS FOR CLASSIFICATION**  
Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.  
Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.  
Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.